

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P. O. Box 272400
Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. 10990989-1

IN THE U.S. PATENT AND TRADEMARK OFFICE
Patent Application Transmittal Letter

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 CFR 1.53(b) is a(n): ☒ Utility () Design
☒ original patent application,
() continuation-in-part application

INVENTOR(S): Carl P. Taussig

TITLE: OPTICAL DISK HAVING ZONE CONSTANT ANGULAR VELOCITY WOBBLE

Enclosed are:

(X) The Declaration and Power of Attorney. (X) signed () unsigned or partially signed
(X) 2 sheets of drawings (one set) () Associate Power of Attorney
() Form PTO-1449 () Information Disclosure Statement and Form PTO-1449
() Priority document(s) () (Other) (fee \$)

CLAIMS AS FILED BY OTHER THAN A SMALL ENTITY				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) TOTALS
TOTAL CLAIMS	20 — 20	0	X \$18	\$ \$0
INDEPENDENT CLAIMS	3 — 3	0	X \$'80	\$ \$0
ANY MULTIPLE DEPENDENT CLAIMS			\$260	\$
BASIC FEE: Design (\$310.00); Utility (\$1710.00)				\$ 710
TOTAL FILING FEE				\$ \$710
OTHER FEES				\$
TOTAL CHARGES TO DEPOSIT ACCOUNT				\$ \$710

Charge \$ \$710 to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16, 1.17, 1.19, 1.20 and 1.21. A duplicate copy of this sheet is enclosed.

"Express Mail" label no. EL404819162US

Date of Deposit 11/18/00

I hereby certify that this is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

By Hugh P. Gortler
Typed Name: Hugh P. Gortler

Respectfully submitted,

By Hugh P. Gortler
Hugh P. Gortler

Attorney/Agent for Applicant(s)
Reg. No. 33,890

Date: 11/18/00

Telephone No.: (949) 454-0898

OPTICAL DISK HAVING ZONE CONSTANT ANGULAR VELOCITY WOBBLE

BACKGROUND OF THE INVENTION

5 The invention relates to optical data storage. More specifically, the invention relates to an optical disk having timing and address information embossed in a wobbled groove.

 “Read/write” optical disks include optical disks that allow data to be written only once and optical disks that allow data to be written many times. A DVD+RW
10 disk is a type of read/write disk that allows data to be written many times.

 When writing data to a read/write disk, it is desirable not to create a frequency or phase discontinuity between the data being written (“new” data) and data previously written (“old” data). A read/write drive might not be able to tolerate such discontinuities during readback of the old data and the new data. During
15 readback, the discontinuities can cause problems for read clocks and data recovery circuitry. Consequently, the discontinuities can render portions of the read/write disk effectively unreadable by the read/write drive.

 Certain types of drives overcome this problem by the use of “edit gaps” (also known as “splice areas” and “buffer zones”). Edit gaps are spaces that
20 separate data blocks. An edit gap provides a margin of error so that old data is not overwritten by new adjacent data. However, the use of edit gaps has its drawbacks. Storage capacity of the read/write disk is reduced because data is not stored in the edit gaps.

 Other types of drives overcome the phase/frequency discontinuity problem
25 by performing bit-accurate or linkless editing, whereby new blocks of data are written with negligible frequency or phase discontinuity with respect to adjacent blocks of old data. This bit-accurate editing is accomplished by exploiting accurate timing information embossed in a high frequency wobbled groove in the read/write disk. The bit-accurate editing eliminates the need for edit gaps.

30 When writing new data to a read/write disk, a bit-accurate read/write drive modulates the wobbled shape of the groove to generate a raw wobble signal. A

wobble clock may be generated by a phase locked loop (PLL) that is locked to a harmonic of the raw wobble signal. The wobble clock provides an extremely accurate time reference, which is insensitive to misalignments. Edges of data marks can be aligned with edges of the wobble clock with a high degree of accuracy.

SUMMARY OF THE INVENTION

According to one aspect of the invention, an optical disk has a groove in a recordable medium. The groove has a constant angular velocity wobble. Such a wobble reduces jitter during playback of the disk.

Other aspects and advantages of the invention will become apparent from the following detailed description, taken in conjunction with the accompanying drawings, illustrating by way of example the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is an illustration of a DVD disk;

Figure 2 is an illustration of a plurality of wobble cycles in multiple zones of the disk; and

Figure 3 is an illustration of a bit-accurate drive for exploiting the information conveyed by the wobble cycles.

DETAILED DESCRIPTION OF THE INVENTION

As shown in the drawings for purposes of illustration, the invention is described in connection with an optical disk for a bit-accurate read/write drive. The optical disk includes a recordable medium and a wobbled groove in the medium. The bit-accurate drive can generate a highly accurate timing signal from the wobbled groove. Wobble of the groove is BPSK-modulated to encode address information. Period and spatial relation of wobble cycles of the groove are selected to reduce jitter during readback of data stored on the disk. Reducing the jitter increases the signal-to-noise ratio, which, in turn, lessens the burden on

error code correction. Resulting is a greater capability to handle other disturbances (e.g., mechanical disturbances, disturbances due to media defects) to the readback channel.

Referring to Figure 1, a phase-change optical disk 10 includes a rigid
5 substrate that is coated with a recordable medium. The recordable medium may be made of a read/write material such as a phase change material. A spiral groove 12 is embedded in the disk 10. A laser beam may be used to heat and cool the recordable medium quickly to form marks having an amorphous state. The laser beam may also be used to erase the marks from the recordable
10 medium by annealing the marks into a crystalline state. Data is represented by patterns of marks on the disk 10.

The spiral groove 12 has a high frequency wobble for providing timing information. The groove 12 meanders (wobbles) sinusoidally about its centerline. Low frequency address information is imposed on the wobble by Bi-Phase Shift
15 Keying (BPSK) modulation of the wobble. The phase of each group of consecutive cycles of the wobble is either normal or shifted (e.g., shifted by 180 degrees). Address information is conveyed by varying the phase between normal and shifted. The combination of the high frequency timing signal and the address information allows a bit-accurate drive to determine addresses of data blocks
20 being read from the disk 10. The groove 12 has a constant track pitch.

The wobble of the groove 12 is a constant angular velocity (CAV) wobble. Such a wobble reduces jitter during playback of the disk 10.

Reference is now made to Figure 2, which shows a plurality of wobble cycles 13 of the groove. The wobble cycles 13 form a plurality of concentric
25 zones, with each zone including at least one track of wobble cycles 13. A zone boundary is indicated by the dashed line (ZB). A typical DVD disk might have 500 zones.

Each wobble cycle 13 is represented by a full sine wave. All wobble cycles 13 in the same zone subtend the same angle ($\theta_1, \theta_2, \dots, \theta_n$). Although wobble
30 cycles 13 in the same zone subtend the same angle, wobble cycles 13 in different

zones subtend different angles (e.g., $\theta_1 \neq \theta_2 \neq \theta_n$). For example, $\theta_1 > \theta_2 > \theta_n$ if θ_1 is at the inner diameter and θ_n is at the outer diameter. The wobble cycles 13 are spatially coherent.

5 The wobble angle (e.g., θ_1) of a zone is chosen such that the average spatial period of a wobble cycle 13 in that zone is an integer multiple of the channel bit length. Maximum deviation of the spatial period in a zone is a percentage (e.g., $\pm 1\%$) of the average spatial period of that zone. In the aggregate, a zone of a disk having a CAV wobbled groove has the same number wobble cycles (to first order) as a zone of a disk having a constant linear velocity
10 (CLV) wobbled groove. This is done for compatibility with existing ROM players.

Moreover, the average wobble spatial period is constant across the entire disk 10. Thus, a groove having CAV wobble has the same number of wobble cycles as a groove having CLV wobble. This too is done for compatibility reasons with existing ROM players.

15 For example, a bit-accurate drive following the DVD-ROM specification has a standard channel bit length of 0.133 micrometers. A DVD-ROM disk for the drive has $n=500$ zones. The wobble angles ($\theta_1, \theta_2, \dots, \theta_n$) are selected such that the average spatial period of the wobble cycles 13 in each zone is $p(0.133)$ micrometers and the average spatial period across the entire disk is $p(0.133)$
20 micrometers, where $8 \leq p \leq 32$. For $p=32$, maximum deviation of the spatial period in a zone is $\pm 1\%$ of 4.256 micrometers. The maximum difference in wobble spatial period between any two zones is $\pm 2\%$. Such a disc has the same number of wobbles cycles as a DVD-ROM disk having CLV wobble.

25 The wobble is called a constant angular velocity wobble because of the way the disk 10 is mastered. During disk mastering, a smooth glass disk is coated with photoresist and rotated on a precision spindle under servo control. The spindle is rotated at a constant angular velocity. The photoresist is exposed to a focused laser beam, which is continuously translated to form a spiral groove. The wobble of the groove may be formed by deflecting the laser beam with an electro-
30 optical modulator while exposing the photoresist. The groove may be BPSK-

modulated by modulating the power of the laser beam while exposing the photoresist. Thus wobble cycles that are 180 degrees out-of-phase may be formed.

After the groove has been formed, the disk is developed to remove
5 exposed photoresist and harden unexposed photoresist. The resulting groove is filled with a metal (usually nickel). The metal plating is separated from the disk and mounted to a metal backing plate to form a sub-master or stamper.

The sub-master is used to stamp BPSK-modulated wobbled grooves in polycarbonate plastic substrates. After the substrates are stamped, they may be
10 coated with a recordable medium. The recordable medium is then coated with a protective lacquer film. Laser light used for reading and writing data is focused through the substrate.

Figures 1 and 2 merely provide illustrations for facilitating an understanding of the disk 10. Aside from illustrating spatial coherence of the wobble cycles,
15 these figures do not show the disk 10 in proper scale. For instance, pitch of the spiral, the thickness of the groove 12, the frequency of the wobble, etc., are not illustrated to scale.

Reference is now made to Figure 3, which shows a bit-accurate read/write drive 14. The drive 14 includes a controller 16, a spindle motor 18 and a motor
20 control 20 for rotating the disk 10. The drive 14 further includes an optical pickup unit 22, which typically includes a laser for generating a laser beam B1; and means (e.g., an optics assembly and photodetector array) for detecting a modulated beam B2. The optical pickup unit 22 may further include a radial push-pull sensor having a detector that is divided into four quadrants. Each quadrant
25 produces an output signal that is substantially proportional to optical power incident on that quadrant. The signals from the four quadrants may be combined to generate a readback signal (RBK), which carries data and timing/address information.

A laser driver 26 drives the laser of the optical pickup unit 22. A processor
30 23 receives the readback signal from the optical pickup unit 22.

A tracking servo and wobble detection system 24 receives the readback signal RBK from the processor 23. The tracking servo and wobble detection system 24 processes the readback signal to obtain address information and generate a precise high frequency timing signal. Under command of the controller
5 16, the tracking servo and wobble detection system 24 also moves the optical pickup unit 22 along the disk 10. The tracking servo and wobble detection system 24 includes a wobble detector 24a and a wobble address decoder 24b. The wobble detector 24a includes a high frequency clock wobble PLL for generating wobble data and a wobble clock. The wobble PLL may use a
10 decision-directed algorithm such as a Costas loop to generate the wobble clock, which is locked to a harmonic of the raw wobble signal. The wobble address decoder 24b decodes the wobble clock and wobble data into addresses. Generation of the wobble clock is disclosed in assignee's U. S. Patent No. 6,046,968, the specification of which is incorporated herein by reference.

15 A data recovery circuit 28 also receives the readback signal from the processor 23 and recovers data from the readback signal (RBK). The data recovery circuit 28 includes a slice generator 28a that captures slices of the readback signal (RBK) and a read clock generator 28b for locking a clean clock to the output of the slice generator 28a. The read clock generator 28b may include
20 a read PLL. An output of the read clock generator 28b provides a read clock.

A decoder 30 demodulates the data recovered from the data recovery circuit 28 (for example, the recovered data is converted from 16-bit symbols to 8-bit data words), arranges the demodulated data in error correction code (ECC) blocks in RAM 32, and performs error correction on the ECC blocks. The error-
25 corrected data is sent to a host 8. In the alternative, the demodulated data may be sent directly to the host 8, which performs the error correction.

During write operations, the wobble groove is detected by the radial push-pull sensor, which provides an tracking error signal to the tracking servo. The tracking error signal keeps the detector centered over the track being detected
30 (the "center" track).

The raw wobble signal is influenced not only by the track upon which the laser beam is focused, but also by radially adjacent tracks. The resulting phase modulation has a beat frequency equal to $(2 \pi t_p / W)$, where W is the spatial period of a wobble cycle and t_p is the track pitch. The wobble clock is then used
5 to synchronize to the data on the disk.

A bit-accurate DVD drive, for example, writes modulation-encoded RS-PC blocks to the disk 10. When the block is written to the disk 10, lines or rows are usually laid down successively in the spiral groove 12. The lines or rows usually begin at the center of the disk 10. Marks representing the data are spatially
10 aligned with the wobble clock with a high degree of accuracy. Thus the data period is held to within $\pm 1\%$ of the standard channel bit length.

The read and wobble PLLs have different characteristics. Typically the wobble PLL has a low bandwidth characteristic for rejecting noise resulting from eccentricity of the tracks with respect to the center of rotation. The read PLL, in
15 contrast, has a high bandwidth characteristic in order to improve access performance. (A data signal produced by pre-existing marks on the disk is an unwanted source of noise if the data signal appears with the wobble clock but the read signal is detected though the central aperture and is not detected in the radial push-pull sensor.)

20 If a CLV wobbled groove was BPSK-modulated, radially adjacent tracks would create a phase disturbance with the track being sensed. The frequency of this phase disturbance would depend upon the address data and the address bit length. The effect of the wobble phase modulation on the quality of the playback data would be determined by the characteristics of the read and wobble PLLs.
25 (The disturbance would come from the superposition of the signals from the center and adjacent tracks. Although phase and amplitude are modulated, only the phase modulation matters. The write clock mostly tracks the disturbance and writes the disturbance into the data. The read clock mostly follows the written-in disturbance, but not completely. Therefore, a phase error or "jitter" results.)

However, because the CAV wobble cycles are spatially coherent, the CAV wobble eliminates the phase disturbance from neighboring tracks (amplitude disturbance remains). In the case of adjacent tracks lying in the same zone, the amount of interference is negligible. In the case of adjacent tracks lying in different zones, the amount of interference is limited to the difference between the wobble periods of the tracks in the different zones (e.g., a 2% difference). However, the wobble PLL bandwidth may be increased to track the resulting disturbance with less error. In the alternative, the transition between zones may be made smooth instead of abrupt. The smooth transition would minimize the disturbance to the wobble PLL.

Thus disclosed is a disk format that reduces the jitter in disks having a BPSK-modulated wobble. Reducing the jitter substantially increases the signal-to-noise ratio of the user data, except at the zone boundaries. The signal-to-noise ratio of the user data is increased because of the lack of phase modulation caused by address information on adjacent tracks (the jitter results because some of the phase modulation is impressed on the written data once the phase disturbance is partially followed by the wobble PLL and not completely tracked by the read PLL). The signal-to-noise ratio of the address information is increased because the length and frequency of the BPSK symbols are increased.

Substantially increasing the signal-to-noise ratio of the address information, in turn, allows the use of inexpensive detection circuitry; or the ability to encode more information in the address data (e.g., disk manufacturing data, laser power parameters for optimal writes, disk key information for copy protection, higher repeat rate of address information for shorter latency during random write operations); or lessens the burden on error code correction. Lessening the burden on error code correction allows the bit-accurate drive to handle other disturbances to its readback channel.

The disk 10 allows the characteristics of the wobble PLL to be modified. The wobble PLL can have a higher bandwidth than a CLV wobble PLL since the address information does not disturb the wobble PLL.

Although Figure 2 shows wobble cycles that are spatially coherent, the disk format is not so limited. Phase disturbance can be eliminated if the wobble cycles are completely out-of-phase.

Address information may be encoded in the wobble by means other than
5 BSPK modulation. For example, the address information may be encoded by on-off keying (a.k.a. missing wobbles).

The invention is not limited to the specific embodiment described and illustrated above. Instead, the invention is construed according to the claims that follow.

10

11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2

WHAT IS CLAIMED IS:

1. An optical storage medium comprising:
a recordable medium; and
a groove in the recordable medium, the groove having a constant angular velocity wobble.
2. The medium of claim 1, wherein the wobble of the groove is BPSK-modulated for providing address information.
3. The method of claim 1, wherein wobble cycles of the groove form a plurality of concentric zones.
4. The medium of claim 3, wherein the wobble cycles in the same zone subtend the same angle; and wherein the wobble cycles in different zones subtend different angles.
5. The medium of claim 4, wherein average spatial period of a wobble cycle in a zone is an integer multiple of channel bit length.
6. The medium of claim 5, wherein maximum deviation of the wobble spatial period in each zone is the same fixed percentage.
7. The medium of claim 4, wherein wobble cycle period is stepped from zone-to-zone,
8. The medium of claim 3, wherein the groove has the same number of wobble cycles as a groove having CLV wobble.
9. The medium of claim 3, wherein wobble cycles in the same zone are spatially coherent.

10. The medium of claim 3, wherein wobble cycles in the same zone are completely out-of-phase.

11. An optical storage medium comprising:

a recordable medium; and

a groove in the recordable medium, the groove having a plurality of wobble cycles that form a plurality of concentric zones, wobble cycles in the same zone
5 subtending the same angle, wobble cycles in different zones subtending different angles.

12. The medium of claim 11, wherein the wobble of the groove is BPSK-modulated for providing address information.

13. The medium of claim 11, wherein average spatial period of the wobble cycles in the zones are integer multiples of channel bit length.

14. The medium of claim 11, wherein maximum deviation of wobble spatial period in each zone is the same fixed percentage.

15. The medium of claim 11, wherein wobble cycle period is stepped from zone-to-zone,

16. The medium of claim 11, wherein the groove has the same number of wobble cycles as a groove having CLV wobble.

17. The medium of claim 11, wherein the wobble cycles in the same zone are spatially coherent.

18. The medium of claim 11, wherein the wobble cycles in the same zone are completely out-of-phase.

19. An optical disk comprising:

a recordable medium; and

a groove in the recordable medium, the groove having a plurality of wobble cycles that form a plurality of concentric zones, wobble cycles in the same zone
5 subtending the same angle, wobble cycles in different zones subtending different angles, the wobble cycles being BPSK-modulated.

20. The disk of claim 19, wherein the groove has the same number of wobble cycles as a CLV wobble groove.

11/11/2017 10:00:00 AM

ABSTRACT OF THE DISCLOSURE

-13-




FIG. 1





FIG. 2

FIG. 3



**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION**ATTORNEY DOCKET NO. 10990989-1

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

OPTICAL DISK HAVING ZONE CONSTANT ANGULAR VELOCITY WOBBLE

the specification of which is attached hereto unless the following box is checked:

() was filed on _____ as US Application Serial No. or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

Foreign Application(s) and/or Claim of Foreign Priority

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES. _____ NO. _____
			YES. _____ NO. _____

Provisional Application

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE

U. S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (patented/pending/abandoned)

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Customer Number 022879Place Customer
Number Bar Code
Label here

Send Correspondence to:
HEWLETT-PACKARD COMPANY
 Intellectual Property Administration
 P.O. Box 272400
 Fort Collins, Colorado 80528-9599

Direct Telephone Calls To:
 Hugh P. Gortler, (949) 454-0898
 Trueman H. Denny III, (650)857-3870

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Inventor: Carl P. Taussig Citizenship: USAResidence: 2295 Alameda de Las Pulgas, Woodside, California 94061Post Office Address: 2295 Alameda de Las Pulgas, Woodside, California 94061

 Inventor's Signature

17-Nov-2000
 Date